## SUPPLEMENTAL BUILDERS RISK RENOVATION APPLICATION

REMODEL/ RENOVATION / REHABILITATION

\*\*\* THIS SUPPLEMENTAL APPLICATION MUST BE ATTACHED TO THE ACORD GENERAL APPLICANT INFORMATION APPLICATION - ACORD 125\*\*\*

INSURED INFORMATION:					
NAMED INSURED:					
DBA:					
INSURED IS: OWNER CONTRACTOR	# OF VEADA IN DURINESS				
NAME OF CONTRACTOR:	# OF YEARS IN BUSINESS:				
(IF DIFFERENT FROM NAMED INSURED) CONTRACTOR MAILING ADDRESS:	LOSS HISTORY / 5 YEARS				
CONTRACTOR MAILING ADDRESS.					
ESTIMATED START DATE OF PROJECT:	ESTIMATED COMPLETION DATE OF PROJECT:				
ESTIMATED TERM OF PROJECT: MONTHS	CURRENTLY UNDER RENOVATION? YES NO				
	IF YES – ORIGINAL START DATE:				
	(IF YES TO PRIOR START ATTACH PRIOR START QUESTIONNAIRE REQUIRED)				
LIMITS OF LIABILITY:					
EXISTING STRUCTURE (IF APPLICABLE): \$	TEMPORARY STORAGE: \$				
RENOVATION VALUES(S): \$	TRANSIT: \$				
NEW ADDITION VALUE (IF APPLICABLE): \$					
OPTIONAL COVERAGES: (MUST BE CHECKED)					
WINDSTORM: IS PROJECT LOCATION ELIGIBLE FOR COVERAGE IN A WIND POOL? YES NO					
IF YES – MAXIMUM LIMIT AVAILABLE IN WIND POOL?					
FLOOD: FEMA FLOOD ZONE: A	B C X V				
IF ZONE A OR V: 100 YEAR BASE FLOOD ELEVATION? ELEVATION OF FIRST FINISHED FLOOR?					
SOFTS COSTS: \$	LOSS OF RENTS: \$				
(MUST ATTACH COMPLETE BREARDOWN)	LOSS OF EARNINGS: \$				
DEDUCTIBLES: AOP Deductible (Catastrophe Peril Deductible will be determined by the Company)					
\$ 500 (RESIDENTIAL ONLY) \$ 1,000 \$ 2,500 \$ 5,000 OTHER \$					
PROJECT INFORMATION:					
LOCATION ADDRESS:	OLTY COLUMNY OT TO				
STREET ADDRESS	CITY COUNTY ST ZIP				
PROJECT TYPE: RESIDENTIAL: SINGLE FAMILY	TWO FAMILY COMMERCIAL:				

	REMODEL:	REMODEL OF INTERIOR FINISHES / REPLACEMENT OF INTERIOR FIXTURES, CABINETS, FLOORING, ETC.					
	REMODEL / MINOR STRUCTURAL:	REMODEL OF INTERIOR FINISHES AND MINOR CHANGES TO EXTERIOR (DOORS / WINDOWS / EXTERIOR PAINTING) INCLUDING ALL NONSTRUCTURAL CHANGES (HVAC/PLUMBING/ELECTRICAL)					
	RESTORATION / MAJOR RESTRUCTUR	REPAIR / REPLACE / REMOVE LOAD BEARING WALLS / ADD ADDITIONAL STORIES / ADD STAIRWAYS OR ELEVATORS  (IF STRUCTRUAL CHANGES BEING MADE THE FOLLOWING ARE REQUIRED:  1. LETTER FROM ENGINEER THAT THE SITE HAS BEEN VISITED AND THE EXISTING BUILDING IS STRUCTURALLY SOUND AND ABLE TO ACCEPT THE STRUCTURAL CHANGES PROPOSED.  2. LETTER FROM THE ENGINEER REGARDING A COMPLETE DESCRIPTION OF THE STRUCTURAL CHANGES TO BE MADE  3. LETTER FROM THE CONTRACTOR THAT THE ENGINEER'S SPECIFICATIONS WILL BE FOLLOWED INCLUDING CONTROLS IN PLACE TO PREVENT COLLAPSE					
	NEW ADDITION WITH SOME REMODEL	ADDITION OF SPACE WITH REMODEL / RENOVATION FOR TIE IN PURPOSES ONLY AND INTERIOR REMODEL AS SHOWN ABOVE					
COMPLETE DESC RENOVATIONS: (If Re above) If other than remo of the contractor's work/ noting complete det	model is checked del, a complete copy job order is needed-						
PUBLIC PROTECTION CLAS	SS: CITY LIMIT	S: INSIDE OUTSIDE					
DISTANCE TO NEAREST WORKING PUBLIC FIRE HYDRANT: DISTANCE TO NEAREST RESPONDING FIRE DEPARTMENT:							
DISTANCE FROM COASTAL	WATERS:	FEET MILES					
TOTAL SQ. FT. AREA:	TAL SQ. FT. AREA: # 0F STORIES:						
# OF BUILDINGS:  APPROXIMATE DISTANCE BETWEEN BUILDINGS:							
INTENDED OCCUPANCY:  PREVIOUS OCCUPANCY:							
OCCUPIED DURING RENOVATIONS?  YES NO TYPE OF FOUNDATION:							
CONSTRUCTION TYPE: (CHECK ONE)		WALLS ARE CONSTRUCTED OF WOOD OR OTHER COMBUSTIBLE MATERIALS, INCLUDING WHEN COMBINED WITH OTHER MATERIALS SUCH AS BRICK VENEER, STONE VENEER, WOOD IRONCLAD OR STUCCO ON WOOD					
		WALLS ARE CONSTRUCTED OF MASONRY MATERIALS SUCH AS CLAY, ADOBE, BRICK, GYPSUM BLOCK, CINDER BLOCK, HOLLOW CONCRETE BLOCK, STONE, TILE, GLASS BLOCK OR OTHER SIMILAR MATERIAL AND WHERE THE FLOORS AND/OR ROOF ARE COMBUSTIBLE					
		WALLS / FLOORS / ROOF ARE CONSTRUCTED OF AND SUPPORTED BY METAL, ASBESTOS, GYPSUM OR OTHER NON-COMBUSTIBLE MATERIAL					
		WALLS ARE CONSTRUCTED OF MASONRY MATERIALS OF THE TYPE DESCRIBED N MASONRY JOIST ABOVE BUT WITH A FLOOR AND ROOF CONSTRUCTED OF METAL OT OTHER NON-COMBUSTIBLE MATERIAL					
		WALLS / FLOORS / ROOF ARE CONSTRUCTED OF FIRE RESISTIVE MATERIALS HAVING A RESISTANCE RATING OF NOT LESS THAN TWO (2) HOURS					
REFERENCE TO WALLS MEANS THE STRUCTURAL FRAME AND SUPPORT WALLS. REFERANCE TO FLOORS MEANS THE FLOORS AND SUPPORTS. REFERENCE TO ROOF MEANS THE ROOF DECK AND SUPPORTS							
EXISTING STRUCTURE INFO	DRMATION:						
YEAR BUILT:	CURRENT CONDITION OF STRUCTU	RE: HISTORIC LANDMARK: YES NO					
DATE PURCHASED:	PURCHASE PRICE:	DATE(S) REMODELED / RENOVATED:					
Builders Risk Renov	ration App - AAIC (06/04)	Page 2 of 4					

PRIVATE PROTECTION:	WILL THESE SYSTEMS BE OF	PERATIONAL DURING RENOVATION	ON		
	AUTOMATIC SPRINKLER SYS	STEM: YES NO	BURGLAR ALARM SYSTEM:	YES NO	
	SPRINKLER SYSTEM ALARM	S:	FENCING / LIGHTING:		
WATCHMAN SERVICE:	YES NO	HOURS ON SITE?:			
HAS STRUCTURE EVER SUSTAINED DAMAGE FROM WINDSTORM, EARTHQUAKE OR FIRE, ETC.?:					
IF YES - DESCRIBE:					
NEAREST EXPOSED STRUC	CTUDE: OCCUDANCY:	DISTANCE TO:	CONSTRUCTION TYPE:		
			CONSTRUCTION TIPE.		
ARE BUILDINGS TRANSFER	RRED TO PERMANENT COVERA	AGE ONCE COMPLETED?			
IF YES TO ABOVE - PLEASE INDICATE MAXIMUM # OF BLDGS. UNDER CONSTRUCTION AT ANY ONE TIME AND THE CORRESPONDING VALUES:					
LOSS CONTROL:					
DEBRIS REMOVED FROM S	ITE AT REGULAR INTERVALS?	YES NO	FREQUENCY?		
PUBLIC WATER SUPPLY IN	SERVICE AT SITE?	YES NO			
BRUSH AREA?		YES NO	IF YES – CLEARANCE FROM SITE?		
MISCELLANEOUS:					
PROVIDE ANY ADDITIONAL INFORMATION AVAILABLE (WINDSPEED DESIGN, SPECIAL CONSTRUCTION FEATURES, MORTGAGE HOLDER, LOSS PAYEE, ETC.):					